



**INTER  
NOVA**

PROFESSIONAL LIGHTING

IT ALL  
STARTS  
WITH LIGHT


since 1996

HIGHLIGHTS 2024

Dutch  
CRAFTSMANSHIP

# OUR BRAND


At Internova, we plan and design professional LED lighting. Our main focus is in the retail and hospitality industry. As producers of light, we are proud of our broad selection of lighting products. We advise a lighting strategy based on LED modules, lumens, lighting colour and focal points. All our fixtures are made in The Netherlands. During the past 28 years, we have been part of many big hospitality and retail projects. Projects in collaboration with wholesalers and lighting specialists.



# ELEGANTE



made in HOLLAND




Our most compact and elegant LED tracklight with a diameter of only 40mm. Available with decorative black, white or golden inner ring. Standard triac dimmable, ideal to be used in hospitality and domestic projects. Also available in Dim-to-Warm. Available in a Powergear 1-circuit and 3-circuit track version.

**Lumen** : 400lm  
**CRI** : >90Ra  
**CCT** : 2700K, 3000K, DTW (3000K-2000K)



IN 87

Standard	Reflector			Led modules	Options		
Dimmable	Reflector	Reflector	Reflector	Standard	Dimmable	Casambi	1-Phase




TRACK

# METEORA-S



made in HOLLAND



Compact aluminium 3-phase tracklight with powder coating finish. Available with decorative golden, black or white inner ring. Standard Triac dimmable, ideal to be used in hospitality and domestic projects. Also available in a Dim-to-Warm version. Available in a Powergear 1-circuit and 3-circuit track version.

**Lumen** : 2700K 700lm, DTW 500lm  
**CRI** : >90Ra  
**CCT** : 2700K, 3000K, DTW (3000K - 2000K)



IN 48


Standard	Reflector			Led modules	Options		
Dimmable	Reflector	Reflector	Reflector	Standard	Dimmable	Casambi	1-Phase



# METEORA



made in HOLLAND




Compact aluminium 3-phase tracklight with powder coating finish. Available with decorative golden, black or white inner ring. Standard Triac dimmable, ideal to be used in hospitality projects. Available in a Powergear 1-circuit and 3-circuit track version.

**Lumen** : 1100lm  
**CRI** : >90Ra  
**CCT** : 2700K, 3000K, DTW (3000K - 2000K)



IN 66

Standard	Reflector			Led modules	Options		
Dimmable	Reflector	Reflector	Reflector	Standard	Dimmable	Casambi	1-Phase



# DIABLO

**PHILIPS**  
LED SLM INSIDE




made in  
**HOLLAND**

TRACK



IN 96



Aluminium 3-phase tracklight equipped with Philips SLM module end driver.

**Lumen** : 1100lm, 2000lm, 3000lm  
**CRI** : >80Ra, >90Ra  
**CCT** : 2700K, 3000K, 3500K, 4000K, 5700K

Reflector				Led modules			
Reflector	Reflector	Reflector	Reflector	Standard	Premium	CRI 98	HE+
15°	24°	40°	60°				
Options							
Dimmable	Casambi	Glass	Honeycomb				

# DIABLO-L


**PHILIPS**  
LED SLM INSIDE



made in  
**HOLLAND**



IN 96




Powerful aluminium 3-phase tracklight equipped with Philips SLM module and driver.

**Lumen** : 1100lm, 2000lm, 3000lm, 4500lm, 5500lm  
**CRI** : >80Ra, >90Ra  
**CCT** : 2700K, 3000K, 3500K, 4000K, 5700K

Reflector				Led modules			
Reflector	Reflector	Reflector	Reflector	Standard	Premium	CRI 98	HE+
15°	24°	40°	60°				
Options							
Food	Dimmable	Casambi	Glass	Honeycomb			

# LINEA 60 / 100




Linear LED fixture with a 3-phase track connection. Ideally suited for general lighting. Equipped with opal diffuser.

**Lumen** : (Linea 60) 1700lm / (Linea 100) 3200lm  
**CRI** : >80Ra  
**CCT** : 3000K, 4000K, 5700K (CCT Switchable)

Reflector	Led modules
Reflector	Standard

**Product codes:**  
IN141125 | 60 White  
IN140210 | 60 Black  
IN141132 | 100 White  
IN140821 | 100 Black



**3-PHASE TRACK**

- 1 meter PRO-0410
- 2 meter PRO-0420
- 3 meter PRO-0430



Connector Left  
PRO-0431L



End cap  
PRO-0432



Connector Right  
PRO-0431R



Middle Connector  
PRO-0434



Coupler  
PRO-0433



Adjustable connector  
PRO-M435



Adjustable L-connector  
PRO-M438



X-connector  
PRO-0437



Adjustable T-connector Right  
PRO-M436R



Mounting clamp  
PRO-04SK



Adjustable T-connector Left  
PRO-M436L



Suspension kit with 5m wire  
PRO-EZ0449




T-Bar Ezclick  
PRO-M146T



3-Phase track adapter  
PRO-0222



TRACK



**MINI 1-CIRCUIT TRACK SYSTEM**

- 1 meter PRO-S110
- 2 meter PRO-S120
- 3 meter PRO-S130



Connector Left  
Mini 1-Circuit  
PRO-S131L



End Cap  
Mini 1-Circuit  
PRO-S132



Connector Right  
Mini 1-Circuit  
PRO-S131R



Coupler  
Mini 1-Circuit  
PRO-S133



Middle Connector  
Mini 1-Circuit  
PRO-S134



T Connector Right1  
Mini 1-Circuit  
PRO-S136R



L-connector Left  
Mini 1-Circuit  
PRO-S135L



T Connector Right2  
Mini 1-Circuit  
PRO-S136R2



L-connector Right  
Mini 1-Circuit  
PRO-S135R



X Connector  
Mini 1-Circuit  
PRO-S137



T Connector Left1  
Mini 1-Circuit  
PRO-S136L



Track Adapter  
Mini 1-Circuit  
PRO-S140A



T Connector Left2  
Mini 1-Circuit  
PRO-S136L2



Flexible Connector  
Mini 1-Circuit  
PRO-N139



# GIRO SLM


## 180 / 206 / 226



Highly efficient LED downlight equipped with a Philips SLM Module. Available in 3 sizes: 180mm, 206mm and 226mm. IP44 set with frontglass available upon request.

**Lumen** : 1100lm, 2000lm, 3000lm, 4500lm, 6000lm  
**CRI** : >80Ra, >90Ra  
**CCT** : 2700K, 3000K, 3500K, 4000K, 5700K

RECESSED



IN **58** 180  
 IN **69** 206  
 IN **35** 226

**Cut-out sizes:** Giro 180 Ø170 x H130mm  
 Giro 206 Ø190 x H132mm  
 Giro 226 Ø215 x H137mm

Reflector		Led modules				
Reflector	Standard	Premium	Food	CRI98	HE+	


Options					
Dimmable	Dimmable	Dimmable	Casambi	Emergency unit	Glass

# GIREVOLE



Gimbal recessed LED spot. Ideal for retail shops. Equipped with Philips SLM module and driver.

**Lumen** : 1100lm, 2000lm, 3000lm, 4500lm, 6000lm  
**CRI** : >80Ra, >90Ra  
**CCT** : 2700K, 3000K, 3500K, 4000K, 5700K



IN **24**

**Cut-out size** : Ø170 x H110mm

Reflector				Led modules					
Reflector	Reflector	Reflector	Reflector	Standard	Premium	Food	DTW	HE+	

Options							
Dimmable	Dimmable	Dimmable	Dimmable	Casambi	Glass	Honeycomb	Emergency unit

# CURVA



Compact curved recessed LED spot. Turnable and tiltable. Ideal for retail shops. Equipped with Philips SLM module and driver. Suitable for high lumen output up to 6000lm.

**Lumen** : 1100lm, 2000lm, 3000lm, 4500lm, 6000lm  
**CRI** : >80Ra, >90Ra  
**CCT** : 2700K, 3000K, 3500K, 4000K, 5700K



IN **20**

**Cut-out size** : Ø162 x H141mm


Reflector				Led modules		
Reflector	Reflector	Reflector	Reflector	Standard	Premium	HE+

Options				
Dimmable	Dimmable	Dimmable	Casambi	Emergency unit



# CERCHIO




Ø 91



IN 88

Fixed round recessed fixture with extra deep reflector and low glare. Standard Triac dimmable. IP44 set with frontglass available upon request. Equipped with Philips SLM module and driver.

**Lumen** : 800lm, 1400lm  
**CRI** : >80Ra, 90Ra  
**CCT** : 2700K, 3000K, 4000K  
**UGR** : <15



Cut-out size : Ø76 x H118mm

RECESSED

# SNELLO



215


Ø 118



IN 25


Surface mounted tubular LED spot. Suspension kit (3m) available upon request. Equipped with Philips SLM module and driver.

**Lumen** : 1100lm, 2000lm, 3000lm  
**CRI** : >80Ra, >90Ra  
**CCT** : 2700K, 3000K, 3500K, 4000K, 5700K



SURFACE

# CUBO UP/DOWN



100


100

100



Compact IP65 wall fixture, up/down. Standard triac dimmable. Beam angle can be adjusted manually (1°-120°). Suitable for indoor and outdoor use. Equipped with Philips SLM module and driver.

**Lumen** : 2x 160lm  
**CRI** : >80Ra  
**CCT** : 2300K, 2700K, 3000K



Product codes:


IN9420523 | 2300K White  
 IN9420522 | 2300K Black  
 IN6520523 | 2700K White  
 IN6520522 | 2700K Black  
 IN3520523 | 3000K White  
 IN3520522 | 3000K Black

# SALINA



made in HOLLAND

PENDANT



Decorative pendant in powder coating finish. Available in black (golden inner ring) and white (black inner ring). Standard Triac dimmable. Suspension length 2 m. Supplied with ceiling cup, also available in a 3-circuit track version.


**Lumen** : 600lm  
**CRI** : >90Ra  
**CCT** : 2700K

Reflector	Led modules	Options
Reflector	Standard	Dimmable

# METEORA PENDANT



made in HOLLAND



Pendant version of the Meteora with powder coating finish. Available with decorative golden, black or white inner ring. Standard Triac dimmable, ideal to be used in hospitality and residential projects. Suspension length 3m. Supplied with ceiling cup, also available in 3-circuit and 1-circuit track version.



**Lumen** : 1100lm  
**CRI** : >90Ra  
**CCT** : 2700K, 3000K

Reflector			Led modules	Options			
Reflector	Reflector	Reflector	Standard	Dimmable	Dimmable	Casambi	1-Phase

# LUCEVARIA PENDANT



made in HOLLAND




Linear pendant lighting (57cm, 113cm, 141cm) for the perfect utility lighting. Ideal to be used for desk and counter lighting. Supplied including suspension kit, suspension length 3m. Osram LED modules and driver inside.

**Lumen** : 570mm: 1500lm / 1130mm: 3000lm / 1410mm: 3850lm  
**CRI** : >80Ra, >90Ra  
**CCT** : 3000K, 4000K

Led modules	Options		
Standard	Dimmable	Dimmable	Casambi

IT ALL  
STARTS  
WITH LIGHT





NO Light  
without  
A PLAN

# INTER NOVA

Rithmeesterpark 21 4838 GZ Breda The Netherlands  
+31 (0) 76 520 5566 [info@internova.nl](mailto:info@internova.nl)

